

CERTIFICATE OF ANALYSIS



Sanvaria Chemicals Limited
Ferry Bunder Road
Bhavnagar
Phone - 7574992428
Email - admin@sanvaria.in

Product Name – LOW HARDNESS 80 PPM (AT 80 GPL)

Sr. No.	Description	Unit	Available value
1.	Appearance		White Crystalline
2.	% Passing not above 1000 microns	%	99%
3.	% Passing not above 850 microns	%	90%
4.	% Passing through 150 Microns	%	0.2%
5.	% Water Insoluble Matter	%	0.02%
6.	% Moisture Content	%	0.18%
7.	% Sodium Chloride (NaCl)	%	99.92%
8.	% Calcium (Ca++)	%	0.016%
9.	% Magnesium (Mg++)	%	0.014%
10.	% Sulphate (So4)	%	0.06%
11.	Iodine	PPM	NIL
12.	Silica	PPM	0.4
13.	Iron (as Fe)	PPM	<6
14.	PFC	PPM	<10
15.	LEAD (AS PB)	PPM	NIL
16.	PH (5% AQUA SOL'S)	PPM	6.5

Note : Above Analysis Is Only For Information Purpose.
An ISO 9001:2015 Certified Company

For, Sanvaria Chemicals Limited

Authorized Signatory

CERTIFICATE OF ANALYSIS



Sanvaria Chemicals Limited
Ferry Bunder Road
Bhavnagar
Phone - 7574992428
Email - admin@sanvaria.in

Product Name – LOW HARDNESS 100 PPM (AT 80 GPL)

Sr. No.	Description	Unit	Available value
1.	Appearance		White Crystalline
2.	% Passing not above 1000 microns	%	99%
3.	% Passing not above 850 microns	%	90%
4.	% Passing through 150 Microns	%	0.2%
5.	% Water Insoluble Matter	%	0.02%
6.	% Moisture Content	%	0.18%
7.	% Sodium Chloride (NaCl)	%	99.92%
8.	% Calcium (Ca ⁺⁺)	%	0.024%
9.	% Magnesium (Mg ⁺⁺)	%	0.014%
10.	% Sulphate (So ₄)	%	0.076%
11.	Iodine	PPM	NIL
12.	Silica	PPM	0.4
13.	Iron (as Fe)	PPM	<6
14.	PFC	PPM	<10
15.	LEAD (AS PB)	PPM	NIL
16.	PH (5% AQUA SOL'S)	PPM	6.5

Note : Above Analysis Is Only For Information Purpose.
An ISO 9001:2015 Certified Company

For, Sanvaria Chemicals Limited

Authorized Signatory

CERTIFICATE OF ANALYSIS



Sanvaria Chemicals Limited
Ferry Bunder Road
Bhavnagar
Phone - 7574992428
Email - admin@sanvaria.in

Product Name – LOW HARDNESS 150 PPM (AT 80 GPL)

Sr. No.	Description	Unit	Available value
1.	Appearance		White Crystalline
2.	% Passing not above 1000 microns	%	99%
3.	% Passing not above 850 microns	%	90%
4.	% Passing through 150 Microns	%	0.2%
5.	% Water Insoluble Matter	%	0.02%
6.	% Moisture Content	%	0.18%
7.	% Sodium Chloride (NaCl)	%	99.92%
8.	% Calcium (Ca ⁺⁺)	%	0.032%
9.	% Magnesium (Mg ⁺⁺)	%	0.10%
10.	% Sulphate (So ₄)	%	0.11%
11.	Iodine	PPM	NIL
12.	Silica	PPM	0.4
13.	Iron (as Fe)	PPM	<6
14.	PFC	PPM	<10
15.	LEAD (AS PB)	PPM	NIL
16.	PH (5% AQUA SOL'S)	PPM	6.5

Note : Above Analysis Is Only For Information Purpose.
An ISO 9001:2015 Certified Company

For, Sanvaria Chemicals Limited

Authorized Signatory

CERTIFICATE OF ANALYSIS



Sanvaria Chemicals Limited
Ferry Bunder Road
Bhavnagar
Phone - 7574992428
Email - admin@sanvaria.in

Product Name – LOW HARDNESS 200 PPM (AT 80 GPL)

Sr. No.	Description	Unit	Available value
1.	Appearance		White Crystalline
2.	% Passing not above 1000 microns	%	99%
3.	% Passing not above 850 microns	%	90%
4.	% Passing through 150 Microns	%	2%
5.	% Water Insoluble Matter	%	0.02%
6.	% Moisture Content	%	0.18%
7.	% Sodium Chloride (NaCl)	%	99.92%
8.	% Calcium (Ca ⁺⁺)	%	0.6%
9.	% Magnesium (Mg ⁺⁺)	%	0.024%
10.	% Sulphate (So ₄)	%	0.16%
11.	Iodine	PPM	NIL
12.	Silica	PPM	0.4
13.	Iron (as Fe)	PPM	<6
14.	PFC	PPM	<10
15.	LEAD (AS PB)	PPM	NIL
16.	PH (5% AQUA SOL'S)	PPM	6.5

Note : Above Analysis Is Only For Information Purpose.
An ISO 9001:2015 Certified Company

For, Sanvaria Chemicals Limited

Authorized Signatory